

Third Party Test Results

Third party tested by IAPMO at



Contaminant	NSF/ANSI 58 Testing Standard	Concentration Tested	HANS™ Premium Water by Culligan® Results	Reduction of Up To
Hardness	<187 ppm (11gpg)	600 ppm (35gpg)	<1 ppm	99.9%
TDS	<187 ppm	785 ppm	40 ppm	94.9%
Lead	<10 ppb	139 ppb	<1 ppb	99.3%
Fluoride	<1.5 ppm	7.54 ppm	0.8 ppm	89.4%
Iron (ferric and ferrous)	<0.3 ppm	3.46 ppm	.018 ppm	99.5%
PFOA & PFOS	70 ppt	25,000 ppt	20 ppt	99.9%
Arsenic (A3 and A5)	<10 ppb	52.4 ppb	<1 ppb	98.1%
Nitrate	<10 ppm	27.9 ppm	0.9 ppm	96.8%
Nitrite	<1 ppm	3.3 ppm	0.2 ppm	93.9%
Chromium 6+	<100 ppb	304 ppb	<1 ppb	99.7%
Chloroform Surrogates*	<15 ppb	282 ppb	<0.2 ppb	99.9%

Up to 99.99% reduction of bacteria and 99.9% of reduction in viruses

*Chloroform surrogate test includes the following chemicals: alachlor, atrazine, benzene, carbofuran, carbon tetrachloride, chloropicrin, dibromochloropropane, o-dichlorobenzene, p-dichlorobenzene, 1,2-dichloroethane, trans-1,2-dichloroethylene, 1,2-dichloropropane, cis-1,3-dichloropropylene, dinoseb, endrin, ethylbenzene, ethylene dibromide, haloacetonitriles, bromochloroacetonitrile, dibromoacetonitrile, dichloroacetonitrile, trichloroacetonitrile, haloketones, 1,1-dichloro-2-propanone 1,1,1-trichloro-2-propanone, heptachlor, heptachlor epoxide, hexachlorobutadiene, hexachlorocyclopentadiene, lindane, methoxychlor, pentachlorophenol, simazine, styrene, 1,1,2,2-tetrachloroethane, tetrachloroethylene, toluene 1, 2,4,5-TP, tribromoacetic acid, 1,2,4-trichlorobenzene, 1,1,1-trichloroethane, 1,1,2-trichloroethane, trichloroethylene, trihalomethanes, chloroform, bromoform, bromodichloromethane, chlorodibromomethane, and xylenes.

Crushed it!

CALIFORNIA REGISTRATION

The HANS™ Premium Water by Culligan® Appliance is registered in the State of California for all health-related claims per Performance Data Sheet. See HANSPremiumWater.com for a copy of the Performance Data Sheet.

ppm = parts per million
 ppb = parts per billion
 ppt = parts per trillion
 gpg = grains per gallon

